asmayl

ENTERPRISE

Designing Global Connections

COLLECTION 2026

BUILT TO LAST, DESIGNED TO IMPRESS.



1. Fire Resistance

Our fire-resistant tiles are crafted to provide peace of mind in any space. Designed to withstand extreme heat, these tiles offer protection without compromising on aesthetic appeal.



2. Frost Resistance

Our frost-resistant tiles are specially designed to endure harsh climates, providing beauty and durability for both indoor and outdoor spaces.



3. Easy To Clean

When it comes to home and commercial spaces, cleanliness is key. That's why our tiles are designed with an easy-to-clean surface that makes maintenance a breeze, without compromising on style or quality.



4. Chemical Resistance

Our chemical-resistant tiles are built to withstand harsh chemicals, ensuring durabilityin demanding environments without sacrificing elegance.



5. Hygienic Surface

Our tiles are designed with a hygienic surface, ensuring that your spaces not only look beautiful but also stay fresh and safe.



6. High Durable

Our highly durable tiles are crafted to withstand the rigors of daily life while maintaining their elegance, making them the perfect choice for any space that demands both style and resilience.

AVAILABLE SIZES & THICKNESS



THICKNESS



SUITABLE ENVIRONMENTS











TOUCH FOR 360

ALEXA GREY

RUSTIC

04 RANDOM

1200 X 1200 MM



PREVIEW OF **ALEXA GREY**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



ALEXA
WHITE



PREVIEW OF **ALEXA WHITE**

TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



ASPEN
BIANCO



PREVIEW OF **ASPEN BIANCO**









TOUCH FOR 360

ATHENS
BEIGE

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **ATHENS BEIGE**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM

NEW



ATHENS
GREY



PREVIEW OF **ATHENS GREY**









TOUCH FOR 360

ATHENS
IVORY

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **ATHENS IVORY**

TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM

NEW



ATHENS
LIGHT BEIGE



PREVIEW OF **ATHENS LIGHT BEIGE**



TOUCH
FOR
360

ATHENS
WHITE

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **ATHENS WHITE**

TOUCH FOR 360

RUSTIC

04 RANDOM

1200 X
1200 MM

NEW



CANARY BEIGE



PREVIEW OF **CANARY BEIGE**







TOUCH FOR 360

DAKOTA BEIGE

RUSTIC

05 RANDOM

1200 X 1200 MM



PREVIEW OF **DAKOTA BEIGE**

TOUCH
FOR
360

RUSTIC

05 RANDOM

1200 X
1200 MM

NEW



DAKOTA
CREMA



PREVIEW OF **DAKOTA CREMA**











TOUCH
FOR
360

DAKOTA GREY

RUSTIC

05 RANDOM

1200 X
1200 MM



PREVIEW OF **DAKOTA GREY**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



DEVIL BROWN



PREVIEW OF **DEVIL BROWN**

TOUCH
FOR
360

DEVIL
COSMIC

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **DEVIL COSMIC**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



DEVIL GREY



PREVIEW OF **DEVIL GREY**









TOUCH FOR 360

DUST BROWN

RUSTIC

04 RANDOM

1200 X 1200 MM



PREVIEW OF **DUST BROWN**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



DUST GREY



PREVIEW OF **DUST GREY**



EASTER BROWN







TOUCH FOR 360

RUSTIC

03 RANDOM

1200 X
1200 MM



PREVIEW OF **EASTER BROWN**







TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM

NEW



EASTER
NATURAL



PREVIEW OF **EASTER NATURAL**



TOUCH FOR 360

EASTER WHITE

RUSTIC

03 RANDOM

1200 X 1200 MM



PREVIEW OF **EASTER WHITE**







TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM



EDEN
LIGHT



PREVIEW OF **EDEN LIGHT**







TOUCH FOR 360

ESCARA LACE

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **ESCARA LACE**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



ESCARA
PEARL



PREVIEW OF **ESCARA PEARL**



TOUCH FOR 360

FALCON BEIGE

RUSTIC

03 RANDOM

1200 X 1200 MM



PREVIEW OF **FALCON BEIGE**









TOUCH FOR 360

FLOD GREY

RUSTIC

03 RANDOM

1200 X 1200 MM



PREVIEW OF **FLOD GREY**







TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM

NEW



LARK
GRIS



PREVIEW OF **LARK GRIS**









TOUCH
FOR
360

NORMAN
GREY

RUSTIC

03 RANDOM

1200 X
1200 MM



PREVIEW OF **NORMAN GREY**

TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM

NEW



NORMAN
WHITE



PREVIEW OF **NORMAN WHITE**









TOUCH FOR 360

PARK BEIGE

RUSTIC

04 RANDOM

1200 X 1200 MM



PREVIEW OF **PARK BEIGE**







TOUCH
FOR
360

RUSTIC

04 RANDOM

1200 X
1200 MM



PARK
FOG GREY



PREVIEW OF **PARK FOG GREY**









TOUCH FOR 360

PARK
SMOKE GREY

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **PARK SMOKE GREY**







TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM



ROSLYN
BIANCO



PREVIEW OF **ROSLYN BIANCO**

TOUCH
FOR
360

SAND
LIGHT

RUSTIC

04 RANDOM

1200 X
1200 MM



PREVIEW OF **SAND LIGHT**





TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM

NEW



SIEM
BEIGE



PREVIEW OF **SIEM BEIGE**









TOUCH
FOR
360

SIEM
BIANCO

RUSTIC

03 RANDOM

1200 X
1200 MM



PREVIEW OF **SIEM BIANCO**







TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM

NEW



SIEM GREY



PREVIEW OF **SIEM GREY**





TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM



TROYAL BIANCO



PREVIEW OF **TROYAL BIANCO**



TOUCH FOR 360

UNICO BEIGE

RUSTIC

03 RANDOM

1200 X 1200 MM



PREVIEW OF **UNICO BEIGE**

TOUCH
FOR
360

RUSTIC

03 RANDOM

1200 X
1200 MM

NEW



UNICO
BIANCO



PREVIEW OF **UNICO BIANCO**









TOUCH FOR 360

UNICO GREY

RUSTIC

03 RANDOM

1200 X 1200 MM



PREVIEW OF **UNICO GREY**

TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006 / 2018 EN14411 Gr.Bla	ASMAYL VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO 10545-2
Deviation in Thickness	±5%	±5%	ISO 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO 10545-2
Rectangularity	±0.5%	±0.2%	ISO 10545-2
Surface Flatness	±0.5%	±0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	GlossMeter
Structural Properties			
Water Absorption	≤0.5%	≤0.3%	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
Thermo Hygrometric Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm / m	Max. 0.02mm / m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10^{-6}	Max. 6.0 x 10^{-6}	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

asmayl
ENTERPRISE
Designing Global Connections

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	COVERAGE AREA / BOX (sq.ft.)	WEIGHT
Asmayl	600 x 1200 mm	9	2	1.44	15.50	28 kgs approx.
Asmayl	1000 x 1000 mm	9	2	2.00	21.53	43 Kgs approx
Asmayl	1200 x 1200 mm	9	2	2.88	31.00	60 Kgs approx
Asmayl	800 x 1600 mm	9	2	2.56	27.56	55 kgs approx.
Asmayl	1200 x 1800 mm	9	2	4.32	46.50	90 kgs approx.